



## Safety Data Sheet

prepared to UN GHS Revision 3

### 1. Identification of the Substance/Mixture and the Company/Undertaking

|  |  |                         |            |
|--|--|-------------------------|------------|
| <b>1.1 Product Identifier</b>  | T-SS3375   | <b>Revision Date:</b>   | 11/05/2022 |
| <b>Product Name:</b>   | SOLARSEAL  | <b>Supersedes Date:</b> | New SDS    |
| <b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b> | Monocomponent industrial coating - Industrial use. Waterborne paint.   |                         |            |
| <b>1.3 Details of the supplier of the safety data sheet</b>                              |  |                         |            |
| <b>Importer:</b>   | Importer   |                         |            |
| <b>Manufacturer:</b>   | StonCor Africa (Pty.) Ltd.<br>8 Cresset Road<br>Midrand Industrial Park, Chlookop<br>P.O. Box 2205<br>2001, Johannesburg<br>South Africa |                         |            |
|  | Regulatory / Technical Information:<br>+27 11 254 5500   |                         |            |
| <b>Datasheet Produced by:</b>  | Chonco, Cebolonkosi - ehs@stoncor.com  |                         |            |
| <b>1.4 Emergency telephone number:</b>   | CHEMTREC 1-800-424-9300 (Inside US)<br>CHEMTREC +1 703 5273887 (Outside US)<br>Giftinformasjonen: +47 22 59 13 00                        |                         |            |

### 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, Chronic, category 2  
 Carcinogenicity, category 1A  
 STOT, repeated exposure, category 2  
 STOT, single exposure, category 2

## 2.2 Label elements

### Symbol(s) of Product



### Signal Word

Danger

### Named Chemicals on Label

quartz (silicon dioxide)

### HAZARD STATEMENTS

|   |         |  |
|---|---------|--|
| Carcinogenicity, category 1A                              | H350-1A | May cause cancer.  |
| STOT, single exposure, category 2                         | H371    | May cause damage to organs.  |
| STOT, repeated exposure, category 2                       | H373    | May cause damage to organs through prolonged or repeated exposure. |
| Hazardous to the aquatic environment, Chronic, category 2 | H411    | Toxic to aquatic life with long lasting effects.                   |

### PRECAUTION PHRASES

|           |   |
|-----------|---|
| P102      | Keep out of reach of children.  |
| P201      | Obtain special instructions before use.                                     |
| P202      | Do not handle until all safety precautions have been read and understood.   |
| P260      | Do not breathe dust/fume/gas/mist/vapours/spray.                            |
| P264      | Wash hands thoroughly after handling.                                       |
| P273      | Avoid release to the environment.   |
| P284      | Wear respiratory protection.  |
| P308+313  | IF exposed or concerned: Get medical advice/attention.                      |
| P309+P311 | IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. |
| P314      | Get medical advice/attention if you feel unwell.                            |
| P391      | Collect spillage.   |

## 2.3 Other hazards

No Information

### Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

## 3. Composition/Information On Ingredients

### 3.2 Mixtures

#### Hazardous ingredients

| <u>Name According to EEC</u>    | <u>EINEC No.</u> | <u>CAS-No.</u> | <u>%</u>  | <u>Classifications</u> |
|---------------------------------|------------------|----------------|-----------|------------------------|
| titanium dioxide                | 236-675-5        | 13463-67-7     | 2.5 - <10 | H351                   |
| trizinc bis<br>(orthophosphate) | 231-944-3        | 7779-90-0      | 2.5 - <10 | H302-400-410           |
| zinc oxide                      | 215-222-5        | 1314-13-2      | 2.5 - <10 | H400-410               |

|                                 |           |            |            |                  |
|---------------------------------|-----------|------------|------------|------------------|
| 1,2 propanediol                 | 200-338-0 | 57-55-6    | 1.0 - <2.5 |                  |
| quartz (silicon dioxide)        | 238-878-4 | 14808-60-7 | 1.0 - <2.5 | H350-370         |
| 3-aminopropyltriethoxysilane    | 213-048-4 | 919-30-2   | <0.1       | H302-314         |
| 3-iodo-2-propynylbutylcarbamate | 259-627-5 | 55406-53-6 | <0.1       | H312-318-332-400 |

| <u>CAS-No.</u> | <u>M-Factors</u> |
|----------------|------------------|
| 13463-67-7     | 0                |
| 7779-90-0      | 0                |
| 1314-13-2      | 0                |
| 57-55-6        | 0                |
| 14808-60-7     | 0                |
| 919-30-2       | 0                |
| 55406-53-6     | 0                |

**Additional Information:** The text for GHS Hazard Statements shown above (if any) is given in Section 16.

## 4. First-aid Measures

### 4.1 Description of First Aid Measures

**GENERAL NOTES:** Show this safety data sheet to the doctor in attendance.

**AFTER INHALATION:** Move to fresh air. Provide fresh air, rest and warmth. Call a physician immediately. Give oxygen or artificial respiration if needed. When risk of unconsciousness, place and transport the victim in secured recovery position.

**AFTER SKIN CONTACT:** Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Do not use solvent or thinners to clean skin.

**AFTER EYE CONTACT:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

**AFTER INGESTION:** If vomiting occurs spontaneously: Keep head below hips to prevent aspiration of stomach vomit into lungs. Provide fresh air, rest and warmth. Do not induce vomiting. Get immediate medical attention. Never give anything by mouth to an unconscious person.

### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

May be harmful by inhalation (after often repeated exposure).

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11. When symptoms persist or in all cases of doubt seek medical advice.

## 5. Fire-fighting Measures

### 5.1 Extinguishing Media:

Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog

**FOR SAFETY REASONS NOT TO BE USED:** Alcohol, Alcohol based solutions, any other media not listed above. Do not use a solid water stream as it may scatter and spread fire.

### 5.2 Special hazards arising from the substance or mixture

Heating or fire conditions liberates toxic gas.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Keep containers and surroundings cool with water spray.

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment.

### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

## 7. Handling and Storage

### 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING:** Electrical equipment should be protected to the appropriate standard. Wear personal protective equipment. Do not breathe vapours or spray mist. Apply technical measures to comply with the occupational exposure limits (see section 8).

**PROTECTION AND HYGIENE MEASURES:** Wash hands before breaks and at the end of workday. When using, do not eat, drink or smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Avoid heat, sparks, flames and other ignition sources.

**STORAGE CONDITIONS:** Store in original container. Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Protect from frost. Store in upright position only.

### 7.3 Specific end use(s)

No specific advice for end use available.

## 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Ingredients with Occupational Exposure Limits (EU)

| <u>Name</u>                     | <u>CAS-No.</u> | <u>LTEL ppm</u> | <u>STEL ppm</u> | <u>STEL mg/m3</u> | <u>LTEL mg/m3</u> |
|---------------------------------|----------------|-----------------|-----------------|-------------------|-------------------|
| titanium dioxide                | 13463-67-7     |                 |                 |                   |                   |
| trizinc bis(orthophosphate)     | 7779-90-0      |                 |                 |                   |                   |
| zinc oxide                      | 1314-13-2      |                 |                 |                   |                   |
| 1,2 propanediol                 | 57-55-6        |                 |                 |                   |                   |
| quartz (silicon dioxide)        | 14808-60-7     |                 |                 |                   |                   |
| 3-aminopropyltriethoxysilane    | 919-30-2       |                 |                 |                   |                   |
| 3-iodo-2-propynylbutylcarbamate | 55406-53-6     |                 |                 |                   |                   |

| <u>Name</u>                     | <u>CAS-No.</u> | <u>OEL Note</u> |
|---------------------------------|----------------|-----------------|
| titanium dioxide                | 13463-67-7     |                 |
| trizinc bis(orthophosphate)     | 7779-90-0      |                 |
| zinc oxide                      | 1314-13-2      |                 |
| 1,2 propanediol                 | 57-55-6        |                 |
| quartz (silicon dioxide)        | 14808-60-7     |                 |
| 3-aminopropyltriethoxysilane    | 919-30-2       |                 |
| 3-iodo-2-propynylbutylcarbamate | 55406-53-6     |                 |

**FURTHER INFORMATION:** Refer to the regulatory exposure limits for the workforce enforced in each country.

## 8.2 Exposure controls

### Personal Protection

**RESPIRATORY PROTECTION:** Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). In case of insufficient ventilation wear suitable respiratory equipment. Combination filter: A2-P2.

**EYE PROTECTION:** If splashes are likely to occur, wear: Face-shield, tightly fitting safety goggles (EN 166).

**HAND PROTECTION:** Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the numerous outside influences (e.g. temperature). Use chemical resistant gloves and lotions and barrier creams to prevent drying of the skin. Use chemical resistant gloves (EN 374): Neoprene, nitril rubber, butyl rubber.

**OTHER PROTECTIVE EQUIPMENT:** Ensure that eyewash stations and safety showers are close to the workstation location.

**ENGINEERING CONTROLS:** Ensure adequate ventilation, especially in confined areas.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

|   |                |
|---|----------------|
| <b>Appearance:</b>                                  | VISCOUS LIQUID |
| <b>Physical State</b>                               | Liquid         |
| <b>Odor</b>   | CHARACTERISTIC |
| <b>Odor threshold</b>                               | Not determined |
| <b>pH</b>   | Not determined |
| <b>Melting point / freezing point (°C)</b>          | Not determined |
| <b>Boiling point/range (°C)</b>                     | 64 - N.D.      |
| <b>Flash Point, (°C)</b>                            | 999            |
| <b>Evaporation rate</b>                             | Not determined |
| <b>Flammability (solid, gas)</b>                    | Not determined |
| <b>Upper/lower flammability or explosive limits</b> | Not determined |
| <b>Vapour Pressure</b>                              | Not determined |
| <b>Vapour density</b>                               | Not determined |
| <b>Relative density</b>                             | Not determined |
| <b>Solubility in / Miscibility with water</b>       | YES            |

|   |                |
|---|----------------|
| <b>Partition coefficient: n-octanol/water</b>                           | Not determined |
| <b>Auto-ignition temperature (°C)</b>                                   | Not determined |
| <b>Decomposition temperature (°C)</b>                                   | Not determined |
| <b>Viscosity</b>  | Not determined |
| <b>Explosive properties</b>   | Not determined |
| <b>Oxidising properties</b>   | Not determined |
| <b>9.2 Other information</b>  |                |
| <b>VOC Content g/l:</b>   | Not determined |
| <b>Calculated grams of VOC per liter of coating product as applied.</b> |                |
| <b>Specific Gravity (g/cm3)</b>   | 1.321          |

## 10. Stability and Reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

No Information

### 10.4 Conditions to avoid

Avoid heat, sparks, flames and other ignition sources.

### 10.5 Incompatible materials

No Information

### 10.6 Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), oxides of nitrogen (NO<sub>x</sub>).

## 11. Toxicological Information

### 11.1 Information on toxicological effects

**Acute Toxicity:**

**Oral LD50:** No information available.

**Inhalation LC50:** No information available.

**Irritation:** No information available.

**Corrosivity:** No information available.

**Sensitization:** No information available.

**Repeated dose toxicity:** No information available.

**Carcinogenicity:** No information available.

**Mutagenicity:** No information available.

**Toxicity for reproduction:** No information available.

**STOT-single exposure:** No information available.

**STOT-repeated exposure:** No information available.

**Aspiration hazard:** No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

| <u>CAS-No.</u> | <u>Chemical Name</u>        | <u>Oral LD50</u>                        | <u>Dermal LD50</u> | <u>Vapor LC50</u> | <u>Gas LC50</u> | <u>Dust/Mist LC50</u> |
|----------------|-----------------------------|---|--------------------|-------------------|-----------------|-----------------------|
| 13463-67-7     | titanium dioxide            | 10000 mg/m <sup>3</sup> ,<br>oral (rat) |                    |                   | 0.000           | 0.000                 |
| 7779-90-0      | trizinc bis(orthophosphate) | 552 mg/kg, oral<br>rat                  |                    |                   | 0.000           | 0.000                 |

**Additional Information:**

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Not considered hazardous under normal conditions of use. Exposure to mist or spray may cause irritation. May be harmful if swallowed. This product may contain Titanium Dioxide, which is listed by IARC as possibly carcinogenic to humans (Group 2B). This listing is based on inadequate evidence of carcinogenicity in humans and sufficient evidence in experimental animals. This classification is relevant when exposed to titanium dioxide in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

## 12. Ecological Information

### 12.1 Toxicity:

**EC50 48hr (Daphnia):** No information

**IC50 72hr (Algae):** No information

**LC50 96hr (fish):** No information

**12.2 Persistence and degradability:** No information

|   |  |
|---|--|
| <b>12.3 Bioaccumulative potential:</b>          | No information   |
| <b>12.4 Mobility in soil:</b>                   | No information   |
| <b>12.5 Results of PBT and vPvB assessment:</b> | The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII. |
| <b>12.6 Other adverse effects:</b>              | No information   |

| <u>CAS-No.</u> | <u>Chemical Name</u>            | <u>EC50 48hr</u>                                  | <u>IC50 72hr</u> | <u>LC50 96hr</u> |
|----------------|---------------------------------|---|------------------|------------------|
| 13463-67-7     | titanium dioxide                | >100 mg/l (EC50, 48h, Daphnia magna OECD202)ation | No information   | >1000 mg/l       |
| 7779-90-0      | trizinc bis(orthophosphate)     | No information                                    | No information   |                  |
| 1314-13-2      | zinc oxide                      | No information                                    | No information   |                  |
| 57-55-6        | 1,2 propanediol                 | No information                                    | No information   |                  |
| 14808-60-7     | quartz (silicon dioxide)        | No information                                    | No information   |                  |
| 919-30-2       | 3-aminopropyltriethoxysilane    | No information                                    | No information   |                  |
| 55406-53-6     | 3-iodo-2-propynylbutylcarbamate | No information                                    | No information   |                  |

### 13. Disposal Considerations

- 13.1 WASTE TREATMENT METHODS:** Do not burn, or use a cutting torch on, the empty drum. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of waste material at an approved (hazardous) waste treatment/disposal facility in accordance with applicable local state, and federal regulations. Do not dispose of waste with normal garbage, or to sewer systems.

### 14. Transport Information

|  |   |
|--|---|
| <b>14.1 UN number</b>  | Not applicable  |
| <b>14.2 UN proper shipping name</b>  | Not regulated for transport according to U.S. DOT, ADR/RID, IMDG, and IATA regulations. |
| <b>Technical name</b>  | Not applicable  |
| <b>14.3 Transport hazard class(es)</b>   | Not applicable  |
| <b>Subsidiary shipping hazard</b>  | Not applicable  |
| <b>14.4 Packing group</b>  | Not applicable  |
| <b>14.5 Environmental hazards</b>  | Not applicable  |
| <b>14.6 Special precautions for user</b>   | Not applicable  |
| <b>EmS-No.:</b>  | Not applicable  |
| <b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code</b> | Not applicable  |

### 15. Regulatory Information

- 15.1 Safety, health and environmental regulations/legislation for the substance or mixture:**



**National Regulations:**

|   |               |
|---|---------------|
| <b>Denmark Product Registration Number:</b> | Not available |
| <b>Danish MAL Code:</b>                     | Not available |
| <b>Danish MAL Code - Mixture:</b>           | Not available |
| <b>Sweden Product Registration Number:</b>  | Not available |
| <b>Norway Product Registration Number:</b>  | Not available |
| <b>WGK Class:</b>                           | Not available |

**15.2 Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## 16. Other Information

**Text for GHS Hazard Statements shown in Section 3 describing each ingredient:**

|      |   |
|------|---|
| H302 | Harmful if swallowed.                                 |
| H312 | Harmful in contact with skin.                         |
| H314 | Causes severe skin burns and eye damage.              |
| H318 | Causes serious eye damage.                            |
| H332 | Harmful if inhaled.                                   |
| H350 | May cause cancer.                                     |
| H351 | Suspected of causing cancer.                          |
| H370 | Causes damage to organs.                              |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |

**Reasons for revision**

This is a new Safety Data Sheet (SDS).

**List of References:**

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark;  
 European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;  
 European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP);  
 EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

**Acronym & Abbreviation Key:**

|        |   |
|--------|---|
| CLP    | Classification, Labeling & Packaging Regulation                 |
| EC     | European Commission   |
| EU     | European Union  |
| US     | United States   |
| CAS    | Chemical Abstract Service                                       |
| EINECS | European Inventory of Existing Chemical Substances              |
| REACH  | Registration, Evaluation, Authorization of Chemicals Regulation |

|        |   |
|--------|---|
| GHS    | Globally Harmonized System of Classification and Labeling of Chemicals  |
| LTEL   | Long term exposure limit  |
| STEL   | Short term exposure limit   |
| OEL    | Occupational exposure limit   |
| ppm    | Parts per million   |
| mg/m3  | Milligrams per cubic meter  |
| TLV    | Threshold Limit Value   |
| ACGIH  | American Conference of Governmental Industrial Hygienists   |
| OSHA   | Occupational Safety & Health Administration   |
| PEL    | Permissible Exposure Limits   |
| VOC    | Volatile organic compounds  |
| g/l    | Grams per liter   |
| mg/kg  | Milligrams per kilogram   |
| N/A    | Not applicable  |
| LD50   | Lethal dose at 50%  |
| LC50   | Lethal concentration at 50%   |
| EC50   | Half maximal effective concentration  |
| IC50   | Half maximal inhibitory concentration   |
| PBT    | Persistent bioaccumulative toxic chemical   |
| vPvB   | Very persistent and very bioaccumulative  |
| EEC    | European Economic Community   |
| ADR    | International Transport of Dangerous Goods by Road  |
| RID    | International Transport of Dangerous Goods by Rail  |
| UN     | United Nations  |
| IMDG   | International Maritime Dangerous Goods Code   |
| IATA   | International Air Transport Association   |
| MARPOL | International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 |
| IBC    | International Bulk Container  |
| RTI    | Respiratory Tract Irritation  |
| NE     | Narcotic Effects  |

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.